TECHNICAL REPORT OF PHASE 1 AND 2 EXPLORATION PROGRAMS THE SNELGROVE LAKE PROPERTY, NEWFOUNDLAND AND LABRADOR NTS 23J08, 23J09, 23I15 and 23I/12

FOR

MAMBA MINERALS LIMITED

Prepared By:
Edward Lyons, P. Geo. QP
King and Bay West Management Corp.
&
Murray Brown, P.Eng.
BBA Inc.

Date:
December 20, 2013

TABLE OF CONTENTS

1 SUMMARY 6

1.1 Introduction 6
1.2 Property Location 6
1.3 Issuer's Interest 6
1.4 Accessibility 7
1.5 Climate 7
1.6 Local Resources and Infrastructure 7
1.7 History 8
1.8 Geology 8
1.9 Mineralization 10
1.10 Exploration and Drilling Results 11
1.11 Mineral Processing and Metallurgical Testing 11
1.12 Environmental Studies, Permitting, Social and Community Impacts 12

2 INTRODUCTION 16

2.1 Terms of Reference 16
2.2 Use of the Report 16
2.3 Scope of Study 17
2.4 Sources of Information 17
2.5 Measurement References and Standards 17
2.6 Authors of Report and Site Inspection 17

3 RELIANCE ON OTHER EXPERTS 19

4 PROPERTY DESCRIPTION AND LOCATION 19

4.1 Property Location 19
4.2 Property Description and Ownership 21
4.3 Issuer's Interest 22

5 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY 25

5.1 Accessibility 25
5.2 Climate 25
5.3 Local Resources and Infrastructure 25
5.4 Physiography 26

6 HISTORY 26

6.1 Overview 26
6.2 Historical Mineral Resources 26

7 GEOLOGICAL SETTING AND MINERALIZATION 27

7.1 Regional Geology 27
7.2 Property Geology 32

7.1.1 Stratigraphy 32

8 DEPOSIT TYPES 36
9 EXPLORATION 38
9.1 Exploration History 38
9.2 Mamba 2013 Exploration Program 39
10 DRILLING 41
10.1 Phase One 2013 Drilling Program 41
10.2 Phase Two 2013 Drilling Program 42
10.3 Results of Exploration Works 44
10.3.1 Kenty Lake Taconite target 44
10.3.2 CLC Hematite Target 47
11 SAMPLE PREPARATION, ANALYSES, AND SECURITY 53
11.1 Sample Collection 53
11.1.1 Core Logging and Sample Handling 53
11.1.2 Sample Security 54
11.2 Sampling Preparation 54
11.2.1 Sampling Approach 54
11.2.2 Sampling Method 55
11.2.3 Comments on Core Logging and Sampling 56
11.3 Analytical Procedures 56
11.3.1 Sample Preparation 56
11.3.2 Analytical Procedures 57
11.4 Quality Assurance/Quality Control 58
11.4.1 Introduction 58
11.4.2 In-Field QA/QC 58
11.4.3 Discussion of Duplicate Results 62
11.4.4 Company Standards and Blanks 62
11.4.5 In-Lab QA/QC 66
11.4.6 Reference Laboratory Checking 67
11.4.7 Magnetic Fe determined by Satmagan versus Davis Tube and Fe Balance 67
11.5 Relationship of Issuer to Sample Analysis 69
11.6 Security 69
12 DATA VERIFICATION 70
12.1 Field Verification 70
12.2 Database Verification 70
13 MINERAL PROCESSING AND METALLURGICAL TESTING 71

13.1 Historical Testwork 71
13.2 Preliminary Testwork Program 71
13.2.1 Sample Selection 72
13.2.2 Grindability Testing 72
13.2.3 Metallurgy Testing 72
13.2.4 SEM Analyses 73
13.2.5 Metallurgical Recommendations 74
14 MINERAL RESOURCE ESTIMATES 75
15 MINERAL RESERVE ESTIMATES 75
16 MINING METHODS 75
17 RECOVERY METHODS 75
18 PROJECT INFRASTRUCTURE 75
19 MARKET STUDIES AND CONTRACTS 75
20 ENVIRONMENTAL STUDIES, PERMITTING, AND SOCIAL OR COMMUNITY IMPACT 76
20.1 Environmental Baseline Study (EBS) 76
20.2 Ore, Waste, and Tailings Characterization 76
20.3 Regulatory Framework 76
20.3.1 Provincial Government (Newfoundland and Labrador) 76
20.3.2 Provincial Environmental Assessment 77
20.3.3 Federal Government (Canada) 79
20.4 Territorial Claims and Regional Relations 80
21 CAPITAL AND OPERATING COSTS 82
22 ECONOMIC ANALYSIS 82
23 ADJACENT PROPERTIES 82
24 OTHER RELEVANT DATA AND INFORMATION 82
25 INTERPRETATION AND CONCLUSIONS 83
25.1 Interpretation 83
25.2 Conclusions 84
26 RECOMMENDATIONS 85
27 REFERENCES 86
28 SIGNATURES & CERTIFICATES OF AUTHORS 88

List of Tables

Table 1-1: Proposed Phase 3 Budget 15
Table 4-1: Snelgrove Lake Property List of Claims 21
Table 8-1: Deposit Model for Lake Superior-Type Iron Formation *after* Eckstrand (1984) 37
Table 10-1: Phase 1 Collar Locations 41
Table 10-2: Phase 2 Collar Locations 42
Table 11-1: Number of QAQC Samples Used 62
Table 11-2: Ranges for SGS-Lakefield Standards and Blanks used in XRF Fe2O3 Analyses 66
Table 11-3: Calculated Fe Cross-checks 69
Table 13-1: Head Assay of Bulk Sample 71
Table 13-2: Grindability Testwork Results 71
Table 13-3: Head Assay of Bulk Sample 72
Table 13-4: Head Assay of Bulk Sample 73
Table 26-1: Proposed Phase 3 Budget 85

List of Figures

Figure 4-1 Snelgrove Lake Property Location 20
Figure 4-2: Snelgrove Lake Property Claims Location 24
Figure 7-1: Regional Stratigraphic Column for the Labrador Trough 28
Figure 7-2: Labrador Trough Regional Geology with LTZ 29
Figure 7-3: Labrador Trough Regional Geology sedimentation 31
Figure 9-1 Geophysical Survey Outlines 40
Figure 10-1: Drill Hole Locations 43
Figure 10-2: Kenty Lake Taconite drill grid 44
Figure 10-3: Kenty Lake Geological Cross Section 45
Figure 10-4: Grade Distribution by Fe-Oxide Minerals Taconite Target 46
Figure 10-5: CLC Hematite target drill grid 47
Figure 10-6: CLC Geology Synthesis 48
Figure 10-7: CLC Gravity & Geology Synthesis 49
Figure 10-8: CLC Geological Cross Section 50
Figure 10-9: Photo of MM-13-10 - CLC North - Core recovered from 27.4-45.6m 51
Figure 10-10: Photo of MM-13-16 - CLC South. 36.9-52.3m 51
Figure 10-11: Grade Distribution by Fe-Oxide Minerals, Enriched Fe-Oxide Target 52
Figure 11-1: Fe_2O_3 (XRF) in Field Duplicates 59
Figure 11-2: MagFe (Satmagan) Fe in Field Duplicates 60
Figure 11-3: FeO (Titration) in Field Duplicates 61
Figure 11-4: Standards XRF Fe2O3 & reproducibility over time 63
Figure 11-5: Standards Titration FeO % & Reproducibility over time 64
Figure 11-6: Standards Satmagan % & Reproducibility over time 65
Figure 11-7: Fe_2O_3 by XRF in Laboratory-inserted Standards and Blanks over time 67